

INDEX

@ECHO, 512, 514
%environmentalvariablename%, 581
%SystemRoot%, 506
*, 47
[], 195
>>, 445
>, 76, 441
<, 443
|, 47
?, 47
~, 51 602
8.3 rule, 4

A

absolute path, 147
access control, 655
active partition, 96
adapter cards, 793, 796
administrative share, 659
Administrative Tools, 774
 Computer Management, 776
Administrator, 637, 655
American Standard Code for
 Information Interchange (ASCII),
 197
application packages, 4, 808
application programs and data files
 (activity), 130
application software, 126, 808
archival backup, 293
archival data, 293
arp, 698
ASCII (American Standard Code for
 Information Interchange), 197
ASCII sort sequence, 449
ASR (Automated System Recovery),
 759
ATTRIB command, 310

activity, 311
-, 311
+, 311
/S, 311
A, 311
 activity, 318
H, 311
 activity, 318
R, 311
S, 311
attributes of files, 310

B

backing up, 740
 activity, 743
 archival backup, 293
 COPY command, 186, 203
 DISKCOPY command, 30, 291
 activity, 31, 292
 the registry, 760, 829
backslash (\), 43
backup, 291
 activity, 292
 archive data, 293, 743
 copy backup, 294
 daily backup, 741
 differential backup, 742
 incremental backup, 741
 normal backup, 741
bad sectors, 100
basic disk, 97
batch file, 484
 ATTRIB, 532
 commands, 509–510
 conditional processing, 561
 multiple replaceable parameters,
 527
 activity, 528

quitting, 519
replaceable parameters, 521
 activity, 522
 writing (activity), 487
 writing a script file, 577
batch processing, 484
BEL, 612
binary, 223, 802
BIOS (Basic Input/Output), 9, 766, 794
bit, 310, 802
boot, 7
boot disk, 813
boot process, 8
boot record, 99, 810
boot sector, 99
boot sequence, 8, 822
booting the system, 7
boot.ini, 8–9
bootstrap loader, 9, 99, 794
bootstraps, 810
brackets [], 195
browser, 644, 692
bugs, 2
bus, 635, 795
byte, 406, 802

C

cache memory, 798
CAD (computer-aided design), 126
CALL command, 611
 activity, 612
categories, 126, 790, 808
cathode-ray tube (CRT), 800
CD-ROM (compact disc, compact disc
 read-only memory), 804
central processing unit (CPU), 795
CGA (color graphics adapter), 800
chain, 101, 414

- changing directories, 67
- changing file names, 265
- changing subdirectory names, 269
- character-based operating system, 10
- child directory, 136
- chips, 793
- CHKDSK command, 403
 - activity, 404
 - /A (activity), 413
 - /V (activity), 409
 - contiguous files (activity), 423
 - D (activity), 413
 - H (activity), 413
 - R (activity), 413
 - repairing disk problems with, 414
- cleaning up your disk, *See* Disk Cleanup
- client, 634
- clock speed, 795
- CLS command, 516
- cluster, 98
- CMD.EXE, 14
- CMOS (Complementary Metal-Oxide Semiconductor), 794, 822
- CMOS Setup Utility, 823
- color graphics adapter (CGA), 800
- com ports, 798
- COM1, 798
- COM2, 798
- comma delimited file, 358
- command line, 11
- command line editing, 53
- command line editing keys, 53
- command line interface, 11
- command line window, 16
 - altering, 16
- command line prompt, 12
- command parameter, 40
- command processor, 20
- Command Prompt, 11, 13
- Command Prompt text editor, 346
 - activity, 348
- command syntax, 41
- command variable, 40
- commands, 20
 - ATTRIB, 310
 - activity, 311
 - ATTRIB -, 311
 - ATTRIB +, 311
 - ATTRIB /S, 311
 - ATTRIB A, 311
 - activity, 318
 - ATTRIB H, 311
 - activity, 318
 - ATTRIB R, 311
 - ATTRIB S, 311
 - CALL, 611
 - activity, 612
 - CD, 144
 - activity, 145
 - changing the date, 23, 26
 - changing the time, 23, 26
 - CHDIR, 144
 - CHKDSK (activity), 404
 - CHKDSK /A (activity), 413
 - CHKDSK /V (activity), 409
 - CHKDSK contiguous files (activity), 423
 - CHKDSK for repairing disk problems, 414
 - CHKDSK the verbose parameter, 409
 - CLS, 23, 516
 - activity, 23, 517
 - combining commands with filters (activity), 471
 - combining commands with pipes (activity), 471
 - COPY, 186
 - activity, 188
 - COPY adding files (activity), 203
 - COPY combining text files, 222
 - COPY copying files with long file names (activity), 192
 - COPY destination, 186
 - COPY overwriting files, 218
 - activity, 219
 - COPY with subdirectories, 209
 - COPY with wildcards, 193, 207
 - activity, 193, 207
 - DATE, 23
 - activity, 24
 - DEL, 248
 - activity, 249
 - DEL eliminating files, 248
 - activity, 249
 - DEL with /P, 261
 - activity, 261
 - DEL with individual files (activity), 253
 - DEL with wildcards, 258
 - DIR, 21
 - DIR /AD, 141
 - DIR /OS, 490
 - DIR /O-S, 490
 - DIR with fixed parameters, 41
 - activity, 42
 - DIR with subdirectories, 209
 - DIR with wildcards, 70
 - DIRCMD, 590
 - activity, 590
 - DISKCOPY, 30, 291
 - activity, 31, 292
 - ECHO, 512
 - activity, 513
 - FIND filter, 454
 - activity, 454
 - FOR, 593
 - FOR..IN..DO, 593
 - activity, 594
 - FORMAT, 107
 - FORMAT /Q (activity), 117
 - FORMAT /V (activity), 113
 - GOTO, 551
 - IF, 561
 - IF ERRORLEVEL, 573
 - IF ERRORLEVEL with COPY (activity), 574
 - IF EXIST (activity), 568
 - LABEL, 115
 - activity, 115
 - MD, 139
 - MKDIR, 139
 - MORE filter, 458
 - activity, 459
 - MOVE, 280
 - activity, 281
 - MOVE organizing a disk (activity), 395
 - MOVE renaming a directory, 159
 - PATH, 167
 - activity, 169
 - PATH with DIR (activity), 169
 - PAUSE, 517
 - RD, 161
 - activity, 161
 - REM, 510
 - activity, 510
 - REN changing subdirectory names (activity), 270
 - REN with wildcards, 272
 - activity, 273
 - repeating with function keys, 53
 - RMDIR, 161
 - SET (activity), 581
 - SHIFT, 554
 - Shift+Print Screen,
 - SORT, 447
 - activity, 448
 - SORT with redirection (activity), 450
 - START, 508
 - SUBST, 323
 - activity, 324
 - TIME, 23
 - activity, 24
 - TYPE, 195
 - activity, 199
 - TYPE displaying files (activity), 196
 - XCOPY, 326
 - activity, 328
 - XCOPY with multiple parameters, 337
 - activity, 337
- compact discs (CD-ROMs), 804
- complementary metal-oxide semiconductor (CMOS), 794, 822
- computer-aided design (CAD), 126
- computer components, 791
- computer configuration guide, 6
- Computer Management *See* Administrative Tools-Computer Management
- computers, 2, 790
- concatenation, 222
- conditional processing, 561
- configuration information, 759
- contiguous files, 104, 421
- controllers, 798
- conventional memory, 797
- copy backup, 294
- COPY command, 186, 203
 - activity, 188
 - /b, 223
- COPY CON, 490
- copy protected, 291

copying disks, ethical considerations, 30
 creating a shortcut, 14, 501
 cross-linked files, 415, 722
 CRT (cathode-ray tube), 800
 Ctrl key
 +Break, 519
 +C, 519
 +G, 612
 +Z, 556
 current directory, 144
 cyberspace, 692
 cylinder, 806

D
 daily backup, 741
 daisy chain, 797
 data, 791, 830
 DATA disk
 making a copy, 291
 organizing, 387
 data files, 4
 DEBUG, 575
 default directory, 19
 default drive, 57
 defaults, 19, 57
 changing, 19, 65
 changing the default drive (activity), 19, 65
 working with (activity), 58
 defragmenting, 426
 activity, 426
 DEL command, 248
 activity, 249
 /P, 261
 activity, 261
 deleting files, 248
 delimiter, 43
 delimiters in files, 358
 demand paging, 771
 designated drive, 58
 device drivers, 127, 765
 Device Manager, 766
 device names, 57, 807
 devices, 799
 adding to system, 765
 DIR, 21
 /AD, 141
 /B, 83
 /L, 83
 /O, 81
 /ON, 81
 /O-N, 82
 /OS, 490
 /O-S, 490
 /P, 41
 /S, 83
 /W, 45
 DIRCMD command, 590
 activity, 590
 directories, renaming, 159
 activity, 159
 directory management commands, 139
 disaster and recovery plan, 293
 disk, 3
 allocation unit, 98

bad sectors, 100
 boot, 813
 caching, 798
 cluster, 98
 cluster size,
 configuration, 97
 cylinder, 806
 defragmenting, 426
 drives, 806
 external storage media, 803
 FAT32, 97
 file, 3
 floppy disk, 803
 formatting, 107
 formatting with /Q, 117
 formatting with /V (activity), 113
 head slot, 807
 high-density disk, 803
 initializing, 97
 optimization, 426
 properties (activity), 28
 secondary storage media, 803
 sectors, 98
 structure, 98
 tracks, 98
 values (activity), 28
 Disk Clean Up, 725
 Disk Defragmenter, 426
 Disk Management, *See also*
 Administrative Tools -Computer
 Management
 DISKCOPY command, 30, 291
 activity, 31, 292
 documentation, 79
 documented, 510
 DOSKEY, 342
 activity, 343
 command summary, 343
 dot, 48
 dot pitch, 800
 downward compatibility, 126
 drives as device names, 57
 DSL (Digital Subscriber Line), 694
 dummy files, 199
 DVD, 804
 dynamic disk, 97

E
 ECHO command, 512
 activity, 513
 Edit, 486
 editing keys command summary, 53
 Backspace, 53
 Ctrl+End, 53
 Ctrl+Home, 53
 Delete, 53
 End, 53
 Esc, 53
 Home, 53
 Insert, 53
 EGA (enhanced graphics adapter), 800
 eight-dot-three rule, 4
 electronic mail (email), 692
 ellipsis (...), 377
 email, 692

end of file (EOF), 103
 ending the work session, *See* shutting
 down the system
 ENDLOCAL, 510, 548
 enhanced graphics adapter (EGA), 800
 environment, 580
 EOF (end of file), 103
 Excel, 314, 357
 executable code (.EXE), 168
 expansion slots, 796
 expression, 580
 extended partition, 96
 extent, 107
 external storage media, 803

F
 F1, 53
 F3, 53
 F6, 612
 F8, 760
 F9, 53
 FAT (file allocation table), 97
 contiguous clusters, 104, 421
 noncontiguous clusters, 104, 421
 FAT12, 97
 FAT16, 97
 FAT32, 97
 FDISK, 843
 file allocation table (FAT), 97
 file attributes, 310
 archive attribute (A), 310
 hidden attribute (H), 310
 read-only attribute (R), 310
 system file attribute (S), 310
 file extension, 4
 .BAT, 168
 .COM, 168, 196
 .DLL, 196
 .EXE, 168, 196
 .SYS, 196
 file names, 4
 long file names (LFNs), 4
 naming conventions, 47
 naming rules, 187
 not found, 49
 parameter (activity), 48
 server, 654
 specification, 4
 file system, 97
 files, 3
 adding to the same disk, 203
 area, 100
 backing up, 294
 batch file, 484
 changing names, 265
 cluster, 422
 combining text files, 222
 concatenation, 222
 contiguous file, 104, 421
 cross-linked file, 415, 722
 deleting in directories, 253
 deleting on drives, 253
 dummy file, 199
 editing batch files, 486
 executable file, 168
 executing batch files, 487

- executing one-letter batch files (activity), 490
- fragmented file, 423
- lost clusters, 721
- moving (activity), 281
- noncontiguous file, 104, 421
- overwriting, 218
- permissions, 655
- printing, 228
 - activity, 231
- quitting a batch file, 519
- Registry, 827
- unformatted text file, 197
- writing a batch file (activity), 487
- writing a batch file to load an application, 499
- writing one-letter batch files (activity), 490
- filters, 447
- FIND filter, 454
 - activity, 454
- firewall, 641
- floppy disk drive, 803
- folder, 6
- FOR..IN..DO command, 593
 - activity, 594
- formatting, 107
 - /Q, 117
 - /V, 113
 - disks, 97
 - disks with volume labels, 111
 - floppy disks (activity), 107
- fragmented files, 423
- freeware, 127
- FTP (file transfer protocol), 705
 - activity, 705
- function key commands, 53
 - Alt+F7, 53
 - Esc, 53
 - F7, 53
 - F8, 760
 - F9, 53
 - PgDn, 53
 - PgUp, 53
- G-H**
- gateway, 641
- Gibson, William, 692
- gigabyte (gig), 802
- global file specifications, 69
- GOTO command, 551
 - activity, 552
- graphical user interface (GUI), 10
- graphics adapter card, 800
- GUI (graphical user interface), 10
- hard copy, 799
- hard disk, 805
 - methods of organizing, 381
 - organization, 374
- hardware, 791
- hardware resources, 634
- head slot, 807
- Help (activity), 80
- hierarchical filing system, 135
- hierarchical structure, 136
- high-density disk, 803
- high-level formatting, 98
- hives, 830
- HKEY, 832
- HTML (hypertext markup language), 693
- HTTP (hypertext transfer protocol), 693
- hypertext markup language (HTML), 693
- hypertext transfer protocol (HTTP), 693
- I-J**
- ISP (Internet service provider), 694
- IDE (integrated device electronics), 798
- IF command, 561
 - with strings, 562
- IF EXIST command, 568
- impact printer, 801
- importing data, 357
- industry standard architecture (ISA), 634
- information superhighway, 692
- initialization files, 759
- initializing the disk, 97
- inkjet printer, 801
- input devices, 799
 - mouse, 799
 - trackball, 799
- input/output devices, 792
- installing the WUGXP directory, 783
- integrated device electronics (IDE), 798
- Integrated Services Digital Network (ISDN), 694
- Intel Pentium, 795
- interactive processing, 485
- interlaced monitor, 800
- Internet, 692
 - 32-bit address, 696
 - address, 693
 - arp, 698
 - Class A network, 696
 - Class B network, 696
 - Class C network, 696
 - Class D network, 696
 - Class E network, 696
 - command line interface
 - commands, 698
 - direct cable connections, 694
 - domain name system (DNS), 697
 - domain root server, 697
 - dotted quad, 696
 - dotted-decimal notation, 696
 - dynamic host configuration protocol (DHCP), 697
 - dynamic (temporary) IP address, 697
 - EarthLink, 694
 - file transfer protocol (FTP), 693, 705
 - FTP (activity), 705
 - fully qualified domain name (FQDN), 697
 - integrated services digital network (ISDN), 694
 - Internet access provider (IAP), 694
 - Internet Assigned Numbers Authority (IANA), 696
 - Internet Corporation for Assigned Names and Numbers (ICANN), 696
 - Internet Explorer, 692
 - Internet protocol (IP), 692
 - Internet service provider (ISP), 694
 - I/O (input/output) ports, 798
 - IP (Internet protocol), 692
 - IPCONFIG, 699
 - ISDN (integrated services digital network), 694
 - ISP (Internet service provider), 694
 - Netscape Navigator, 692
 - Netstat, 698
 - Network Solutions, Inc., 696
 - packet Internet groper (ping), 700
 - permanent (static) IP address, 697
 - ping (packet Internet groper), 700
 - point-to-point protocol (PPP), 695
 - router, 695
 - serial-line Internet protocol (SLIP), 695
 - TCP/IP (transmission control protocol/Internet protocol), 695
 - TCP/IP command line interface with the Internet, 698
 - Telnet, 699, 709
 - TRACERT, 703
 - activity, 703
 - transmission control protocol/Internet protocol (TCP/IP), 695
 - uniform resource locator (URL), 692
 - parts, 698
- Internet protocol (IP), 692
- Internet service provider (ISP), 694
- IP (Internet protocol), 692
- IP address, 695
- IPCONFIG, 699
- ISA (industry standard architecture), 634
- ISDN (integrated services digital network), 694
- ISP (Internet service provider), 694
- Jaz cartridge, 805
- Jaz drive, 805
- K-L**
- KB (kilobyte), 802
- kernel, 8
- keyboard, 799
 - alphanumeric keys, 187
 - function keys, 53
- keys, 830
- keystroke errors, 342
- kilobyte (KB), 802

LAN (local area network), 634
 laser printer, 801
 last known good configuration, 760
 legacy software, 126
 LFNs (long file names), 4
 local area network (LAN), 634
 logged drive, 58
 logical formatting, 98
 long file names (LFNs), 4
 lost clusters, 721
 low-level formatting, 98

M

macros, 342
 making boot disks, 813
 mapped drive, 676, 686
 See also net commands
 Master File Table (MFT), 106
 MBR (Master Boot Record), 99
 media objects, 27
 megabyte (meg), 802
 megahertz (MHz), 795
 memory, 797
 microcomputer system, 792
 Microsoft Disk Operating System (MS-DOS), 22
 mini-drivers, 127
 modems, 802
 MORE filter, 458
 activity, 459
 motherboard, 793
 MOVE command, 280
 organizing a disk (activity), 395
 MS-DOS (Microsoft Disk Operating System), 22
 multiple parameters, 40
 multiple replaceable parameters, 527

N

nesting, 830
 net commands, 667
 net accounts, 673
 net config server, 669
 net config workstation, 669
 net local group, 670
 net name, 671
 net statistics server, 674
 net statistics workstation, 673
 net use, 676
 net user, 671
 net view, 673
 Netstat, 698
 network, 634, 811
 10BASE-2, 635
 administrator, 637
 client, 634
 Client for Microsoft Networks, 639
 DSL (Digital Subscriber Line), 694
 Ethernet card, 634
 file server, 654
 identifying a computer, 642
 industry standard architecture (ISA), 634
 local area network (LAN), 634

mapping drives, 676, 686
 activity, 677, 686
 network interface card (NIC), 634
 network operating system (NOS), 637
 password, 638
 peer-to-peer network, 634
 permissions, 655
 peripheral component interconnect (PCI), 634
 protocols, 640
 resources, 634
 server, 634
 setting up, 634
 sharing a drive, 654
 activity, 655
 sharing a folder, 654
 activity, 654
 sharing printers, 644
 activity, 646
 T-connector, 635
 terminator plugs, 635
 Thinnet, 635
 typical configuration, 812
 wide area network (WAN), 634
 workgroup, 634

Neuromancer, 692

NIC (network interface card), 634
 noncontiguous files, 104, 421
 non-impact printer, 801
 noninterlaced monitor, 800
 NOS (network operating system), 637
 Notepad, 347
 ntldr, 8
 NTFS (New Technology File System), 97
 NUL (activity), 565
 NUL value testing, 565
 activity, 565

O

on-board memory, 801
 operating system (OS), 2
 altering the command line window (activity), 16
 boot, 7
 boot record, 99, 810
 bootstraps, 810
 changing the default drive (activity), 19, 65
 character-based operating system, 10
 CMD.EXE, 14
 command interpreter, 168
 command line interface, 11
 command line prompt, 12
 activity, 13
 Command Prompt, 12
 commands, 20
 default directory, 19
 default drive, 57
 DOS system level, 12
 external commands, 20
 graphical user interface, 2
 internal commands, 20

prompt, 12
 UCSD-P, 808
 Unix, 808
 Windows 2000 Professional, 2
 Windows 95, 2
 Windows 98, 2
 Windows Millennium Edition, 2
 organizing a hard disk, 374
 output devices, 799
 monitors, 800
 printers, 801
 overwriting files, 218

P

packet Internet groper (ping), 700
 paging file, 771
 parallel ports, 798
 parameter, 40
 parent directory, 136
 parse, 522
 parsing a command, 522
 partition, 96
 PATH, 167
 PAUSE command, 517
 activity, 517
 PCI (peripheral component interconnect), 634
 PCMCIA (Portable Computer Memory Card Industry Association), 797
 peer-to-peer network, 634
 Pentium, 795
 Pentium II, 795
 Pentium III, 795
 peripheral component interconnect (PCI), 634
 peripheral devices, 799
 peripherals, 799
 permissions, 655
 physical formatting, 98
 ping (packet Internet groper), 700
 activity, 701
 pipes, 457
 piping commands, 471
 pixels, 800
 plug and play, 765
 Portable Computer Memory Card Industry Association (PCMCIA), 797
 positional parameters, 522
 Power on Self-Test (POST), 9
 PPP (point-to-point protocol), 695
 predefined key, 830
 primary directory (root), 6
 primary partition, 96
 printers, 801
 inkjet, 801
 laser, 801
 non-impact, 801
 printing files, 228
 activity, 231
 program files, 4
 programs, 20
 loaded into RAM, 20
 prompt, 152
 changing (activity), 153
 protected mode, 127

Q-R

RAM (random access memory), 797
 random access memory (RAM), 797
 RD command, 161
 read-only input/output system (RIOS), 809
 read-only memory (ROM), 794
 read-only memory-basic input/output system (ROM-BIOS), 794, 809
 real mode, 127
 Recovery Console, 813
 Recovery Console Commands, 814
 recursive, 602
 redirecting output to a file (activity), 76
 redirecting output to the printer (activity), 77
 redirection, 75
 redirection of standard I/O, 75, 440
 using >> (activity), 445
 using > (activity), 76, 441
 using < (activity), 443
 registration database, 760
 Regedit, 760, 828, 835
 Regedt32, 828
 Registry, 759, 827
 backing up, 760, 829
 relative path, 147
 REM command, 510
 activity, 510
 removable disks, 805
 removing directories, 161
 REN command, 265
 activity, 266
 changing subdirectory names (activity), 270
 with wildcards, 272
 activity, 273
 RENAME command, 265
 renaming directories, 269
 activity, 270
 repairing a disk, 414
 replaceable parameters, 521
 resolution, 800
 resources, 634
 Restore, 761
 restore points, *See* System Restore-
 Restore points
 Restoring your system, *See* System
 Restore
 RIOS (read-only input/output system), 809
 ROM (read-only memory), 794
 ROM-BIOS (read-only memory-basic input/output system), 794, 809
 root directory, 62, 102
 file limits, 102
 table, 102
 router, 637, 695
 run, 107

S

Safe Mode, 760
 scan code, 575
 scanners, 799
 script, 576

script file, 576
 SCSI (small computer system interface), 798
 SCSI-I, 798
 SCSI-II, 798
 search path, 168
 secondary storage media, 803
 sectors, 98
 serial ports, 798
 server, 634
 server-based network, 634
 SET command (activity), 581
 SETLOCAL, 510, 548
 Setup boot disks, 813
 shareware, 127
 shell extensions, 466
 SHIFT command, 554
 activity, 554
 shutting down the system, 10, 33
 activity, 33
 SLIP (serial-line Internet protocol), 695
 small computer system interface (SCSI), 798
 software, 808
 application software, 808
 system software, 808
 versions, 22
 SORT command, 447
 activity, 448
 with redirection (activity), 450
 source file, 186
 standard error, 440
 standard FAT, 421
 standard input, 440
 standard output, 440
 START command, 508
 starting programs automatically *See*
 Task Scheduler
 strings, 447
 subdirectories, 6, 62
 .., 155
 ..., 155
 changing names, 269
 creating (activity), 139
 markers (activity), 155
 path, 62
 SUBST command, 323
 activity, 324
 SVGA (Super VGA, super video graphics array), 801
 syntax diagram, 41
 reading, 41
 system
 attribute, 310
 configuration, 759
 configuration, identifying, 6
 disk, 99
 software, 22
 unit, 793
 utility, 21
 utility files subdirectory, 7
 system information, 774
 System Restore, 761
 restore points, 761
 system state, 830

System Tools, 418

T-U

Task Scheduler, 735
 TCP/IP (transmission control protocol/Internet protocol), 695
 command line interface with the
 Internet, 698
 commands, 698
 ARP, 698
 FTP, 698, 705
 IPCONFIG, 698, 699
 NETSTAT, 698
 PING, 698, 700
 ROUTE, 699
 TELNET, 699, 709
 TRACERT, 699, 703
 telnet, 709
 activity, 709
 testing for key codes, 573
 text editor, 346
 tilde (~), 51, 602
 tokens, 607
 TRACERT, 703
 activity, 703
 tracks, 98
 tree structure, 146
 tree-structured directories, 134
 troubleshooting, 768
 UNC (universal naming convention),
 644
 unformatted text file, 197
 uniform resource locator (URL), 692
 universal naming convention (UNC),
 644
 universal serial bus (USB), 797
 Unix, 808
 URL (uniform resource locator), 692
 parts, 698
 USB (universal serial bus), 797

V-Z

values, 830
 variable parameter, 40
 VDT (video display terminal), 800
 VER command (activity), 23
 VGA (video graphics array), 801
 video display terminal (VDT), 800
 video graphics array (VGA), 801
 virtual device drivers, 127
 virtual drive, 324
 volume, 48
 volume label, 112
 WAN (wide area network), 634
 Web page, 693
 Web site, 692
 wide area network (WAN), 634
 wildcards, 69
 Windows 2000 Professional, 2
 Windows 95, 2
 Windows 98, 2
 Windows Millennium Edition, 2
 Windows XP Professional, 2
 Windows shut-down procedure
 (activity), 33

Wintel, 2
workgroup, *See also* Network-
workgroup
World Wide Web (W3), 692
WUGXP directory, 783
installing, 783

XCOPY command, 326
activity, 328
/E, 340
/H, 340
/I, 340
/K, 340

/R, 340
/S, 329, 340
multiple parameters, 337
activity, 337
Zip drive, 805

OTHER TITLES

FROM FRANKLIN, BEEDLE & ASSOCIATES

To order these books and find out more about Franklin, Beedle & Associates, visit us online at www.fbeedle.com.

Operating Systems

- Linux User's Guide: Using the Command Line and Gnome Red Hat Linux* (isbn 1-887902-50-3)
- Understanding Practical Unix* (isbn 1-887902-53-8)
- Windows Millennium Edition: Concepts & Examples* (isbn 1-887902-49-X)
- Windows 98: Concepts & Examples* (isbn 1-887902-37-6)
- Windows 95: Concepts & Examples* (isbn 1-887902-00-7)
- Windows 2000 Professional Command Line* (isbn 1-887902-79-1)
- Windows 2000 Professional: Concepts & Examples* (isbn 1-887902-51-1)
- Windows User's Guide to DOS: Using the Command Line in Windows 2000 Professional* (isbn 1-887902-72-4)
- Windows User's Guide to DOS: Using the Command Line in Windows Millennium Edition* (isbn 1-887902-64-3)
- Windows User's Guide to DOS: Using the Command Line in Windows 95/98* (isbn 1-887902-42-2)
- Windows XP Command Line* (isbn 1-887902-82-1)

Software Applications

- Access 97 for Windows: Concepts & Examples* (isbn 1-887902-29-5)
- Excel 97 for Windows: Concepts & Examples* (isbn 1-887902-25-2)
- Microsoft Office 97 Professional: A Mastery Approach* (isbn 1-887902-24-4)

The Internet & the World Wide Web

- Internet & Web Essentials: What You Need to Know* (isbn 1-887902-40-6)
- Learning to Use the Internet & the World Wide Web* (isbn 1-887902-78-3)
- Searching & Researching on the Internet & the World Wide Web: Second Edition* (isbn 1-887902-56-2)
- Searching & Researching on the Internet & the World Wide Web: Third Edition* (isbn 1-887902-71-6)
- Web Design & Development Using XHTML* (isbn 1-887902-57-0)
- The Web Page Workbook: Second Edition* (isbn 1-887902-45-7)
- Upcoming:** *JavaScript Concepts & Techniques* (isbn 1-887902-69-4)

Computer Science

- ASP: Learning by Example* (isbn 1-887902-68-6)
- Basic Java Programming: A Laboratory Approach* (isbn 1-887902-67-8)
- Data Structures with Java: A Laboratory Approach* (isbn 1-887902-70-8)
- Computing Fundamentals with C++: Object-Oriented Programming & Design—Second Edition* (isbn 1-887902-36-8)
- Computing Fundamentals with Java* (isbn 1-887902-47-3)
- Upcoming:** *Fundamentals of Secure Computing Systems* (isbn 1-887902-66-X)
- Guide to Persuasive Programming* (isbn 1-887902-65-1)
- Upcoming:** *Modern Programming Languages: A Practical Introduction* (isbn 1-887902-76-7)
- Prelude to Patterns in Computer Science Using Java—Beta Edition* (isbn 1-887902-55-4)
- XML: Learning by Example* (isbn 1-887902-80-5)

Professional Reference & Technology in Education

- The Dictionary of Computing & Digital Media Terms & Acronyms* (isbn 1-887902-38-4)
- The Dictionary of Multimedia* (isbn 1-887902-14-7)
- Technology Tools in the Social Studies Curriculum* (isbn 1-887902-06-6)